

Date of Issue: April 7, 2006

Affected Publication: API Specification 5CT, *Specification for Casing and Tubing, Eighth Edition*, July 2005. This errata includes all known items in the eighth edition, including the errata dated March 31, 2006. The change bar indicates the correction from the March 31st errata. “Test Method D” should have been “Test Method B”.

ERRATA 2

3 Normative references: add, “ISO 9513, Metallic materials — Calibration of extensometers used in uniaxial testing” after ISO 9402

7.14.4 Test solution: b) for Test Method B: change “...pH in range 2.6 to 2.8...” to “...pH in range 2.8 to 3.0 ”

8.12.2 Casing with API threads: fifth bulleted item: “LTC” should be “LC” by definitions

10.4.7 Test method: second paragraph, second sentence, add, “ISO 9513 or” after “... in accordance with the procedures of...”

10.4.9: revise title to **Re-tests — All products (except couplings, coupling stock, pup joints or accessory materials in Grades C90, T95 and Q125)**

10.15.11 Coupling stock, pup joints and accessories: delete “g)” and move the entire paragraph currently in g) to become the second paragraph of 10.15.11 following: “— magnetic particle inspection in accordance with ISO 13665 or ASTM E709.”

Figure D.15 — Measuring end straightness, Key 1: correct length to “1,8 m (6 ft)” (this was correct in the 7th edition).

Table C.68 and C.81: row 5, column 2, Mass designation, change comment to: “(fill in Label 2 designation from Tables C.1, C.2 or C.3)”

Table E.26: row 7 26, column 12, change “5.156” to “6.156”

Table E.68 and E.81: row 5, column 2, Mass designation, change comment to: “(fill in Label 2 designation from Tables E.1, E.2 or E.3)”

H.7.2 Grades C90 and T95, PSL-3 (7.10.1): change “...as specified in H.7.1...” to “...as specified in 7.10.1...”

H.18.3 NDE of untested pipe ends—All groups, PSL-3 (10.15.12): change title to, **H.18.3 NDE of pipe ends—All groups, PSL-3 (10.15.12);** change sentence to, “The pipe ends shall either be treated in accordance with 10.15.12 a) or c), or inspected after end finishing (and before coupling installation on threaded and coupled tubulars) using the wet magnetic particle method, or a method agreed between purchaser and manufacturer.”

Date of Issue: March 31, 2006

Affected Publication: API Specification 5CT, *Specification for Casing and Tubing, Eighth Edition*, July 2005

ERRATA

3 Normative references: add, "ISO 9513, Metallic materials — Calibration of extensometers used in uniaxial testing" after ISO 9402

7.14.4 Test solution: b) for Test Method D: change "...pH in range 2.6 to 2.8..." to "...pH in range 2.8 to 3.0..."

8.12.2 Casing with API threads: fifth bulleted item: "LTC" should be "LC" by definitions

10.4.7 Test method: second paragraph, second sentence, add, "ISO 9513 or" after "... in accordance with the procedures of..."

10.4.9: revise title to **Re-tests — All products (except couplings, coupling stock, pup joints or accessory materials in Grades C90, T95 and Q125)**

10.15.11 Coupling stock, pup joints and accessories: delete "g)" and move the entire paragraph currently in g) to become the second paragraph of 10.15.11 following: "— magnetic particle inspection in accordance with ISO 13665 or ASTM E709."

Figure D.15 — Measuring end straightness, Key 1: correct length to "1,8 m (6 ft)" (this was correct in the 7th edition).

Table C/E.68 and 81: row 5, column 2, Mass designation, change comment to: "(fill in Label 2 designation from Tables C/E.1, C/E.2 or C/E.3)"

Table E.26: row 7 26, column 12, change "5.156" to "6.156"

H.7.2 Grades C90 and T95, PSL-3 (7.10.1): change "...as specified in H.7.1..." to "...as specified in 7.10.1..."

H.18.3 NDE of untested pipe ends—All groups, PSL-3 (10.15.12): change title to, **H.18.3 NDE of pipe ends—All groups, PSL-3 (10.15.12);** change sentence to, "The pipe ends shall either be treated in accordance with 10.15.12 a) or c), or inspected after end finishing (and before coupling installation on threaded and coupled tubulars) using the wet magnetic particle method, or a method agreed between purchaser and manufacturer."

Specification for Casing and Tubing

API Specification 5CT
Eighth Edition, July 1, 2005

**ISO 11960:2004, Petroleum and natural gas
industries—Steel pipes for use as casing or tubing
for wells**

EFFECTIVE DATE: JANUARY 1, 2006



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to this review cycle. This publication will no longer be in effect five years after its publication date as an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Standards department telephone (202) 682-8000. A catalog of API publications, programs and services is published annually and updated biannually by API, and available through Global Engineering Documents, 15 Inverness Way East, M/S C303B, Englewood, CO 80112-5776.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the Director of the Standards department, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should be addressed to the Director, Business Services.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

*These materials are subject to copyright claims of ISO, ANSI and API.
All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or
transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without
prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L
Street, N.W., Washington, D.C. 20005.*

Copyright © 2005 American Petroleum Institute