

Specification for Pipeline Valves

ANSI/API SPECIFICATION 6D
TWENTY-THIRD EDITION, APRIL 2008

EFFECTIVE DATE: OCTOBER 1, 2008

ERRATA 1, JUNE 2008
ERRATA 2, NOVEMBER 2008
ERRATA 3, FEBRUARY 2009

CONTAINS API MONOGRAM ANNEX AS PART OF
U.S. NATIONAL ADOPTION

**ISO 14313:2007 (Identical), Petroleum and natural gas
industries—Pipeline transportation systems—Pipeline
valves**



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.

Copyright © 2008 American Petroleum Institute

API Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

Suggested revisions are invited and should be submitted to the Standards and Publications Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This standard is under the jurisdiction of the API Standards Subcommittee on Valves and Wellhead Equipment (API SC6). This API standard is identical with the English version of ISO 14313:2007. ISO 14313 was prepared by Technical Committee ISO/TC 67 Materials, equipment and offshore structures for petroleum and natural gas industries, SC 2, Pipeline transportation systems.

For the purposes of this standard, the following editorial change has been made:

- A national informative annex (Annex F—API Monogram) has been included giving guidance to users.

This standard shall become effective on the date printed on the cover but may be used voluntarily from the date of distribution.

Contents

Page

API Foreword	ii
Foreword	v
Introduction	vi
1 Scope	1
2 Conformance	1
2.1 Units of measurement	1
2.2 Rounding	1
2.3 Compliance to standard	1
3 Normative references	2
4 Terms and definitions	4
5 Symbols and abbreviated terms	7
5.1 Symbols	7
5.2 Abbreviated terms	7
6 Valve types and configurations	8
6.1 Valve types	8
6.2 Valve configurations	9
7 Design	23
7.1 Design standards and calculations	23
7.2 Pressure and temperature rating	24
7.3 Sizes	24
7.4 Face-to-face and end-to-end dimensions	25
7.5 Valve operation	39
7.6 Pigging	40
7.7 Valve ends	40
7.8 Pressure relief	41
7.9 Bypasses, drains and vents	42
7.10 Injection points	42
7.11 Drain, vent and sealant lines	42
7.12 Drain, vent and sealant valves	43
7.13 Hand-wheels and wrenches — Levers	43
7.14 Locking devices	43
7.15 Position of the obturator	43
7.16 Position indicators	43
7.17 Travel stops	44
7.18 Actuator, operators and stem extensions	44
7.19 Lifting	44
7.20 Drive trains	44
7.21 Stem retention	45
7.22 Fire type-testing	45
7.23 Anti-static device	45
7.24 Design documents	45
7.25 Design document review	45
8 Materials	46
8.1 Material specification	46
8.2 Service compatibility	46
8.3 Forged parts	46
8.4 Composition limits	46
8.5 Toughness test requirements	47
8.6 Bolting	48
8.7 Sour service	48
8.8 Vent and drain connections	48

9	Welding	48
9.1	Qualifications	48
9.2	Impact testing	48
9.3	Hardness testing	49
9.4	Repair	49
10	Quality control	51
10.1	NDE requirements	51
10.2	Measuring and test equipment	51
10.3	Qualification of inspection and test personnel	51
10.4	NDE of repairs	52
10.5	Weld end NDE	52
10.6	Visual inspection of castings	52
11	Pressure testing	52
11.1	General	52
11.2	Stem backseat test	53
11.3	Hydrostatic shell test	53
11.4	Hydrostatic seat test	54
11.5	Testing of drain, vent and sealant injection lines	55
11.6	Draining	55
12	Coating	55
13	Marking	56
14	Preparation for shipment	58
15	Documentation	58
	Annex A (normative) Requirements for non-destructive examination	59
	Annex B (normative) Supplementary test requirements	63
	Annex C (informative) Supplementary documentation requirements	67
	Annex D (informative) Purchasing guidelines	68
	Annex E (informative) Marking example	75
	Annex F (informative) API Monogram	77
	Bibliography	79