

Specification for Subsea Pipeline Valves

API SPECIFICATION 6DSS
SECOND EDITION, DECEMBER 2009

EFFECTIVE DATE: JUNE 1, 2010

CONTAINS API MONOGRAM ANNEX AS PART OF U.S.
NATIONAL ADOPTION

**ISO 14723:2009 (Identical), Petroleum and natural gas
industries—Pipeline transportation systems—
Subsea pipeline valves**



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this specification should consult with the appropriate authorities having jurisdiction.

Users of this specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgement should be used in employing the information contained herein.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2009 American Petroleum Institute

API Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

Page

API Foreword	ii
Foreword	v
Introduction	vi
1 Scope	1
2 Conformance	1
2.1 Rounding	1
2.2 Compliance to standard	1
3 Normative references	1
4 Terms and definitions	3
5 Symbols and abbreviated terms	7
5.1 Symbols	7
5.2 Abbreviated terms	8
6 Valve types and configurations	9
6.1 Valve types	9
6.2 Valve configurations	9
7 Design	23
7.1 Design codes and calculations	23
7.2 Pressure and temperature ratings	24
7.3 Cavity relief	24
7.4 External pressure and loads	24
7.5 Sizes	25
7.6 Face-to-face and end-to-end dimensions	25
7.7 Valve operation	35
7.8 Pigging	35
7.9 Valve ends	36
7.10 Bypasses, drains and vents	37
7.11 Manual actuator-manual operator — Handwheels and wrenches	37
7.12 Locking devices	38
7.13 Position of the obturator	38
7.14 Position indicators	38
7.15 Travel stops	38
7.16 ROV interface	38
7.17 Sealant injection	38
7.18 Lifting points and supports	38
7.19 Valve operator interface	39
7.20 Drive trains	39
7.21 Stem retention	40
7.22 Stem/shaft protector	40
7.23 Hydraulic lock	40
7.24 Corrosion/erosion	40
7.25 Hyperbaric performance	40
7.26 Design documents	41
7.27 Design document review	41
8 Materials	41
8.1 Material specification	41
8.2 Service compatibility	41
8.3 Forged parts	42